

| Ref # | Hits | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|--|--|------------------|---------|------------------|
| L1    | 6    | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same (serve\$2 or download\$3) and (paramete\$2 same identif\$4 same locatio\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.           | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR               | OFF     | 2005/12/15 13:36 |
| L2    | 4    | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same (paramete\$2 same identif\$4 same locatio\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR               | OFF     | 2005/12/15 13:36 |
| L3    | 5    | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.                        | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR               | OFF     | 2005/12/15 13:46 |
| L4    | 4    | (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same (prior or before) same (build\$3 or packag\$3) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR               | OFF     | 2005/12/15 13:41 |

|    |    |   |   |    |     |                  |
|----|----|---|---|----|-----|------------------|
| L5 | 0  | (pre\$build\$3 or pre\$packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/15 13:48 |
| L6 | 0  | (prebuild\$3 or prepackag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/15 13:48 |
| L7 | 0  | (pre\$build\$3 or pre\$packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/15 13:49 |
| L8 | 0  | (pre\$build\$3 or pre\$packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/15 13:49 |
| L9 | 16 | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same (prior or before or previous\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/15 14:07 |

|     |    |   |  |    |     |                  |
|-----|----|---|--|----|-----|------------------|
| L10 | 16 | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same ((directory near2 structur\$2) or prior or before or previous\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")                    | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 14:08 |
| L11 | 4  | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same ((directory near2 structur\$2) or prior or before or previous\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 14:09 |
| L12 | 0  | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same (directory near2 structur\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$.ccls.                                     | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 14:09 |
| L13 | 1  | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same (directory near2 structur\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$.ccls.   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 14:12 |
| L14 | 2  | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same (directory near2 structur\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 14:12 |

|     |     |   |   |    |     |                  |
|-----|-----|---|---|----|-----|------------------|
| L15 | 5   | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same directory same structur\$2 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/15 14:13 |
| S1  | 123 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:07 |
| S2  | 13  | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) same media and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:07 |
| S3  | 107 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:08 |
| S4  | 104 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and identifie\$2 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:09 |

|    |    |   |   |    |     |                  |
|----|----|---|---|----|-----|------------------|
| S5 | 78 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and identifie\$2 and ((GUI or (graphical near2 user) near2 interface)) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:11 |
| S6 | 78 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and ((GUI or (graphical near2 user) near2 interface)) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:13 |
| S7 | 78 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and ((GUI or (graphical near2 user) near2 interface)) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:13 |
| S8 | 72 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and ((GUI or (graphical near2 user) near2 interface)) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:14 |

|     |    |  |   |    |     |                  |
|-----|----|--|---|----|-----|------------------|
| S9  | 72 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and ((GUI or (graphical near2 user) near2 interface)) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:15 |
| S10 | 72 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:17 |
| S11 | 72 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:19 |
| S12 | 14 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) same (process\$2) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/16 08:18 |

|     |   |  |  |    |     |                  |
|-----|---|--|--|----|-----|------------------|
| S13 | 9 | (build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.                             | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/16 08:37 |
| S14 | 9 | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.                            | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/16 08:51 |
| S15 | 6 | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (command near2 lin\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/16 09:01 |

|     |    |  |  |    |     |                  |
|-----|----|--|--|----|-----|------------------|
| S16 | 16 | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (command near2 lin\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/16 11:06 |
| S17 | 0  | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) same (paramete\$2) same (command near2 lin\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/16 11:08 |
| S18 | 0  | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (paramete\$2) same (command near2 lin\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/16 11:08 |
| S19 | 89 | (build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same (serve\$2 or download\$3) and (paramete\$2) and (command near2 lin\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/16 11:09 |

|     |    |   |   |    |     |                  |
|-----|----|---|---|----|-----|------------------|
| S20 | 24 | (build\$3 or packag\$3) same<br>(software or applicatio\$2 or<br>progra\$2 or componen\$2) same<br>(operating near2 syste\$2) same<br>(serve\$2 or download\$3) and<br>(paramete\$2) and (command<br>near2 lin\$2) and utilit\$3 and<br>(@ad<"20001221" or<br>@riad<"20001221" or<br>@prad<"20001221") and "717"/\$.<br>ccls. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/15 13:30 |
|-----|----|---|---|----|-----|------------------|